

QUOTATION

Everest Emergency Vehicles

Everest Emergency Vehicles Demo
 Bob Haselman
 1133 Rankin Street Suite D-1
 St Paul, MN 55116
 651-236-8944
 651-690-1871
 bob.haselman@everestev.com

Your Name Here

Exp. Date: 05/31/2009
Quote No: CF021710-0001 **Job/Order No:** 293171-73

07/07/2010

Page 1

PART NO	S	DESCRIPTION	QTY
	<	== Ford, E450, 158" WB, 170" Module, #3170F - 618.080 06/18 (eng ref #283258)	1
	<	CHASSIS: 293171, VIN: 1FDXE45P09DA83587 293172, VIN: 1FDXE45P29DA83588 293173, VIN: 1FDXE45P49DA83589	1
00-30-5364	S < >	Ford, 2009, E450, Cutaway, 170" Module, #3170F 09-6 170X95 Autothrottle OEM Ford Alternators OEM Ford Rubber floor mat, OEM, std.	1
		HEATING/AIR CONDITIONING:	1
5U-12-5000		Hoses, Heater, Nomex to Rear, STD	1
5U-12-6010	<	Heat/AC, F3, Pureair, 2001 Style, ILOS	1
		with thermostat in action area.	
		WHEELCOVERS:	1
X5-10-3201	<	Wheel Covers,Phoenix #NF9,Installed,E-Series, Std Model Only with Air Plus Valve Extenders, std	1
X5-15-0000		== Type 3 Ford - 170" Module - #3170F - 618.080 06/18/08 ==	1
35-05-0159		Type 3 - 170" Module - Standard Model Series	1
35-05-0170		Type 3 - 170" Module General Body Construction Spec	1
35-05-0180		Type 3 - 170" Module Vehicle Body Structure Spec	1
35-05-2000		INTERIOR CABINETS -Duralite Construction, Wood	1
		MODULE BODIES:	1
35-10-0066	< >	Aisle Space, 50 inches, STD, Type 3, Std Model Only (49-50" actual)	1
		Install anti-slip decal with Wheeled Coach logo on curbside and rear stainless steel thresholds, STD	
35-10-0100	>	10 Inch Extended Cab, 13" seat travel	1
35-10-0921		Headroom, 72 in. Type 3 - 170" module, #3170C/F	1
37-00-0300	<	Compartments, Zolatone Finish (1) per compt	5
		Machine stamped louvers located above the floor line for venting.	
37-00-0475	>	Compt, Battery, Diamond Plate Finish, Ford E-Series	1
37-00-0500	< >	Compartments, Std, Floor 3" Drop Down from Door Opening	4
		compts B1,B2,D,& E are STD drop down floor	

PART NO	S	DESCRIPTION	QTY
37-00-0600	< >	Compartments, Sweepout	2
		compt "A" & "F" are std sweep out	
37-00-0710	<	Duraseam Doors, with Hidden Jambs	1
		Magnetic door switches, STD	
39-A0-0272		A, Compt, Split, Pureair, 170" Module, 72" H.R, T3	1
39-B1-0153		B1, Compt, Std, 170" Module, 72" HR, #3170C/F	1
39-B2-0172		B2, Compt, Std, 170" Module, 72"H.R, T3	1
39-D0-0353	<	D, Compt, 3/4, 170" Module, 72" H.R, #3170C/F	1
		With Double Doors	
39-E0-0103	<	E, Compt, Std, 170" Module, #3170C/F	1
		With Double Doors	
39-F0-0303		F, Compt, Std, Full Height, 170" Module, 72" H.R, #3170C/F	1
		FUEL FILL HOUSING:	1
3A-10-4000		Housing, Fuel Fill, Cast, F3/C3/C4500/CM+(7)	1
		EXTERIOR DIVIDERS:	1
3F-10-1101	<	Divider, Vertical, B2, .090" Thick, Std Model only	1
		compt "B2", centered.	
		SHELF- COMPARTMENT "A"/RF CABINET:	1
3F-20-1000	< >	Shelf, Adjustable,(1), RF Cabt Custom	1
		(1) RF Compt "A"/cabt "E1" area, centered.	
		SHELF- COMPARTMENT "D":	1
3F-40-3001	< >	Shelf, Custom, Adj, Cmpt "D", (1), Std Model only	1
		at bottom of cabt "H" inside/outside access opening.	
		SHELF- COMPARTMENT "E":	1
3F-50-0200		Shelf, Fixed, Cmpt E, for Electrical storage, No Divider	1
		WINDOWS:	1
3P-10-5201	>	Window,Upper,CS/Slider,Rr/Fixed,Priv Tint,PAN,Std Model only	1
		MODULE ENTRY DOOR HANDLES:	1
3U-30-8000		Handles, Patient Entry, Trimark Black/Chrome "SafePass" STD	1
		EXTERIOR COMPT DOOR HANDLES:	1
3U-40-0510	>	Handle, Module Compt, Trimark, Black/Chrome, STD	7
3U-40-0514	< >	Latch, Paddle, Trimark, For Trailing Door	2
		compts "D" &/or "E"	
		DOOR HOLD OPENS:	1
40-10-1611	< >	Hold Opens,Rr Doors,Cast,Grabber (2), 5.5", Std Model only	1
		Install so that doors will open as wide as possible.	
		Mount at top of doors.	
		(relocate to bottom is backup camera is selected)	
40-10-7200		Hold Open, Gas Strut, Ext Compt, 30lb, Std	7
40-10-7205		Hold Open, Gas Strut, RF Compt, 30lb, Std	1
		DOOR PANELS:	1
45-10-4505	< >	Panels, Entry, Durasafe, Stainless Steel, w/ Chevrons, STD	1
		Durasafe Design	
		Aluminum Center Panels covered in white/red reflective tape.	
		FENDER FLARES:	1
4A-10-3001		Flare, Fender, Bright Finish, Std Model only	1
		BUMPERS:	1
4F-10-9001	<	Bumper,Rear,w/ Skids & Flip Up,F3,w/LED DOT lights,Std Model	1
		w/ Gator Grip on flip up step.	

PART NO	S	DESCRIPTION	QTY
		RUNNING BOARDS:	1
4K-10-4001		Running Boards, F3, Standard,w/Gator Grip, Std Model Only	1
		SKIRTRAILS	1
4U-10-9210		Skirtrails,Extruded Rubber w/Refl Tape,170-175" Module	1
4U-10-9500		Tape, Reflective, White, For Extruded Rubber Skirtrails	1
		STONE GUARDS (FRONT):	1
4U-11-2000		Stone Guard, Front, Dia Plate, 13.38"	1
		KICKPLATES (w/STD. REAR STONEGUARDS):	1
50-10-2105		Kickplate, W/Recess, No Light Holes,Duraseam	1
55-10-3000	<	Holder, License Plate, Cast, C30002, STD in rear kickplate, centered.	1
		SILL PROTECTORS	1
55-30-4001		Sill Protectors, Stainless, All Compts, Std Model only	1
		MUD FLAPS:	1
5A-10-1001		Mud Flaps, Rear, W/Logo, Std Model only	1
		PAINT/BELTS:	1
5F-10-0800	< >	Paint, OEM White Sikkens Crossover Codes Ford white: FA91:YZ	1
5F-10-4801	<	Paint, Belt, None, Std Model only Cab & Module, all white, std.	1
		DECAL PACKAGES INSTALLED:	1
5P-10-5001		Roof Star, White Border, Installed, Std Model Only	1
		ELECTRICAL SYSTEM:	1
		BATTERY SWITCHES:	1
60-20-350E	<	Battery Config, F3, Fig 5B, Electric Sw, (2) OEM In RF Compt	1
		(2) oem batteries located in RF compt.	
		ONLY Module power is turned on/off. Chassis power is NOT turned off.	
		Activated thru OEM ignition switch.	
		Inpower module. No fail-safe switch, std.	
		COAX CABLES/ANTENNAS:	1
65-10-3001	< >	Coax Cable, RG58/U, (1), Additional, Std Model only From module roof port number #1 to behind the passenger seat STD.	1
		With 6' pigtails	
65-30-1000	< >	Coax Cable, RG58/U, (1) Each, Standard, Terminate: From module roof port number #3 to behind the passenger seat STD.	1
		With 6' pigtails	
		12VDC POWER SOURCES & OUTLETS:	1
6A-22-200E	< >	Outlet, Cigar Lighter, STD, (2), A/A on std 20amp ignition hot circuit.("elect batt sw")	1
		POWER SOURCE, 12 VDC	1
6A-23-1201	< >	Power Source,12 VDC,15 Amp (+-), Std Model only Ignition hot, terminating in cab console w/6 foot tails (hot and ground).	1
6A-23-3001	< >	Power Source,12 VDC,30 Amp (+-), Std Model only Constant Hot, to terminate behind the passenger seat, w/6 foot tails (hot and ground).	1
		SHORELINE INLETS:	1

PART NO	S	DESCRIPTION	QTY
6F-90-4101	< >	Super Auto Eject,20 amp, ILOS, White, Std Model Only with white cover. mounted above compartment "E"	1
6K-40-1000	<	110 VAC OUTLETS: Outlet, 110 VAC, Duplex, (2), STD (1) outlet in action area (1) outlet in the RF cabt "E1", wall #2, upper right.	1 1
7P-10-1005	<	PREWIRES: Prewire, Stock, Wires Only, for "Std Model" Units to include: fog lights, wigwag, & block heater	1 1
7P-50-4500	>	Prewire, Inverter Vanner 1000 TUL/CUL, Plug In CONSOLES:	1 1
7U-10-7000		Console, A/A, Wood, Angled	1
7U-10-8952	>	Console, ECC, F2, F3, F7, 2008+ GAUGES/METERS:	1 1
D0-10-7000		Voltmeter, OEM, In Dash	1
DF-10-9000		SIREN SPEAKERS: Speakers,(2),Cast,SAD4319/SAP4319, In Bumper, 08+, F2/F3/F7	1 1
DK-10-1400	>	SIRENS: Siren, Whelen, WS-295-SLSA1, Standard	1 1
DP-11-1000		SWITCHING OPTIONS FOR AIR HORNS & SIRENS: Switch, Siren/Horn Thru Horn Ring	1 1
F0-11-3501		AUDIBLE ALARMS: Alarm, Back-Up, Auto Reset, Std Model only	1 1
FK-24-1050	< >	VEHICLE EXTERIOR LIGHTING WHELEN LED 45KKK ADVANTAGE PLUS LIGHT BAR, 700 SERIES Lightbar, Whelen 45KKKFL, 86", LLLLLLL, RCRRCR, ILOS	1 1
		700 Series Super LED's. Lenses: Clear *Center white light to be primary only thru Whelen AFM560 Flasher. *Outboard red lights to be pri/sec thru Whelen AFM560 Flasher, sim flash, alt w/center white. Lights 2,3,5,& 6 to flash using internal 45LFLASH flasher, 2&6 to alt with 3&5, on lightbar switch. w/ICC lights on top of LB	
FU-40-0500	>	WHELEN SUPER LED 9L STEADY BURN LIGHTS T1,3,9:	1
	< >	Light, 9L, Super LED, Whelen, Red,Red Lens,ILOS, 90RR5SRR (2) each side standard location (2) on rear in upper outer corners	6
FU-40-0501	< >	Light, 9L, Super LED, Whelen,Red,Red Lens,IATS, 90RR5SRR (2) to show through the upper rear windows. *Switch Pri/Sec *Flash simultaneously with the center amber.	2
FU-40-0512	< >	Light, 9L, Super LED, Whelen,Amber,Amber Lens,ILOS, 90AA5SAR on center rear	1
H5-58-0510	<	7 SERIES SUPER LED STEADY BURN LIGHTS: Light, 7L, Super LED, Red, Red Lens, ILOS, 70R02SRR (2) as intersection lights.	1 2

PART NO	S	DESCRIPTION	QTY
		WHELEN FLANGES 7 SERIES LIGHTS	1
H5-59-1000	<	Flange, Whelen, For 7E lights (1), Mods	2
		For 7 Series Lights	
		GRILLE/INTS LIGHTS, 2008+ FORD & DODGE, WHELEN:	1
H5-59-400E	<	Light, Whelen, LIN3, LED-Red, Std, RSRO2ZCR (2) in upper grille	2
		wired thru external flasher, std.	
		CORNER CAP LIGHTS	1
HF-11-6049	<	Corner Cap Lts,Multi-LED,(2)Amber(2)Red w/Flashers,Std Model	1
		High intensity flashers. thru separate switch.	
		CLEARANCE LIGHTS:	1
HF-12-9601	<	Light, Clearance, Red LED, Std Model only	3
		On rear as clearance lights.	
		SCENE AND LOAD LIGHTS	1
HK-20-110E	<	Light, Halogen, Whelen, 9H, Clear, 8-32 Deg, STD, (1)	4
		(2) each side as scene lights	
HK-20-130E	<	Light, Halogen, Whelen, 9H, Clear, 8-32 Deg, STD, (1)	2
		(2) on rear as load lights	
		WARNING LIGHT FLASHERS	1
HU-24-7500	< >	Flasher, Whelen AFM-560, ILOS	1
		Set flash pattern to Comet Flash	
		HARNES LAYOUT:	1
J5-12-3000		Halogen, " E " Spec, Whelen, (1) Lightbar	1
		STOP/TURN/TAIL LIGHTS:	1
JA-10-1200		Light, License Tag, (2), Trucklite #15205 LED, ILOS	1
JA-13-8010		Tailights, Whelen,LED Stop/Tail,Halogen/Backup, w/ WC logo	1
		MODULE OVERHEAD HEADLINER:	1
JK-10-5500	>	Headliner, Flat, Expanded PVC, Std	1
		12VDC INT LIGHTING-HALOGEN & INCANDESCENT:	1
JP-10-0505		Lights, Weldon, 8046-0320-80, (4) S/S, (3) C/S	1
JP-10-7005		Light, Stepwell, Trucklite, 2in, Std	1
JP-10-8000		Light, Xantech, 105-500, 5 Inch,In A/A	1
		12VDC INTERIOR LIGHTING - FLUORESCENT:	1
JP-16-1106	< >	Lights, Fluor,Liteco #17918265,18IN,(3),W/Sw, Std Model Only	1
		Recessed, 18"	
		Mount in liner positions F, G, and H	
		With switch in A/A.	
		LIGHTS & MISCELLANEOUS:	1
JR-50-1401		Spotlight, Blue Eye, 400,000 CP, Std Model only	1
JR-60-2001	< >	Timer/Circuit,15 Minute,Intermatic,Const Hot,Std Model only	1
		LOCATION: on C/S wall at the head of the squad bench in the standard location.	
		WIRED TO: Fluorescent lights in liner.	
JR-70-0005	<	Light, in Circuit Board Area, for Electrical Troubleshooting	1
		with integral switch. wired constant hot.	

PART NO	S	DESCRIPTION	QTY
		SUCTION PUMPS:	1
LP-10-0500		Suction Pump, Thomas, Standard	1
		INSULATION:	1
LU-10-1000		Insulation, Fiberglass, Unfaced	1
		GRABRAIL(S)/GRABHANDLES:	1
N0-10-9101	<	Grabrail,Overhead,117",Handicap Style,Yellow,Std Model Only	1
		Yellow Powder Coat Finish	
N0-10-9703	<	Handrails,(3),Custom "L" Shape,1",Yellow,Entry Drs,Std Model	1
		For units with Trimark handles.	
		Yellow Powder Coat Finish Stainless Steel Grab Handles	
		ILOS	
		O2 CYLINDER RACKS:	1
NA-10-2500	>	Rack, Cylinder, Ziamatic, "M", QRM-2	1
		O2 SYSTEMS COMPLETE:	1
NF-50-1001	< >	O2 Sys,LF,(2)O2/(1)Vac Port A/A,(1)O2 C/S, Std Model only	1
		ohio style	
		(2) oxygen outlets in action area	
		(1) vacuum port in action area	
		(1) oxygen outlet cs wall at head of squad bench	
		SUCTION CONTAINERS:	1
PA-10-7001	>	Regulator/Holder, SSCOR 22000, Std Model only	1
	<	COT MOUNTS:	1
		None	
		IV HOOKS:	1
PP-20-1000	< >	IV Hook, Perko, (1), W/Straps, STD	2
		curbside and streetside standard locations	
		MODULE INTERIOR	1
RU-05-0000		Interior Cabinets - Duralite Construction, Wood	1
		MICA COLOR:	1
RU-10-3001		Mica, Light Gray Gloss, Std Model only	1
		SUB FLOORING:	1
RZ-99-0025		Flooring, Wood, Type 3/7/9, Std	1
		FLOORING:	1
T0-11-8201		Flooring, Lonplate II,Gunpowder Grey #424TX, Std Model only	1
		SEAMLESS ATTENDANT SEATS:	1
T5-10-5111	<	Seat, Attendant, EVS, Child,Gunmetal #1880CB, Std Model only	1
		Vacuum formed EVS1880CB w/ 3 point seatbelt.	
		Integrated child safety seat.	
		Mounted metal box base.	
		SEAMLESS UPHOLSTERY:	1
T5-25-0500		Uph, Smless, Gunmetal,No Bio,No Post & Wheel	1
		BULKHEAD CABINET:	1
TF-51-9500	<	Cabinet, Bulkhead, 10" Ext , 72Hr,Type3	1
		NO broom closet behind attendant seat.	
		O2 DOOR:	1
TK-10-5010		Lexan Flaps, Hinged Left Side, Fixed Right Side, Std	1
		GLOVE HOLDERS:	1
TN-20-1001		Cabinet, Glove Box Holder,(3),Above C/S door, Std Model only	1
TP-10-6000	<	Door, Sliding, Bulkhead, STD	1
		w/ sliding Lexan window	

PART NO	S	DESCRIPTION	QTY
		RIGHT FRONT CABINET:	1
TU-17-1560	<	Cabinet, Right Front, 2001 Pureair, Modified VA Style, 72" H	1
		E1 and E2 with inside/outside access.	
		RF CABINET DOORS W/2001 PUREAIR A/C	1
TU-21-7350	<	Doors,Modified VA Style, E1 & E2, 2001	1
		E-1 double doors.	
		E-2 single door hinged on left.	
		HARDWARE,LATCHES AND LOCKS:	1
V0-10-0500	< >	Handle, C, Pull, Installed,(1) Ea,STD	3
		RF cabt(s)	
V0-10-2000	< >	Latch, Plunger Roller, Installed	5
		RF cabt(s)	
V0-13-9001	< >	Latch, Lever, No Key, Installed, STD, 2001 Style RF Cabt	2
		One (1) RF Cabinet Door E-1 Leading Door	
		One (1) RF Cabinet Door E-2 Door	
V0-14-1001	>	Latch, Lever, W/Key, Installed, "L" Cabt Wood Door	1
		SQUAD BENCH:	1
V5-20-3802		Squad Bench, Bio-Waste @ Head, 170", Std Model only	1
		LID 170 INCH BOX:	1
V5-64-1501		Lid, Squad Bench, Single W/Bio-Waste, 170", Std Model only	1
		HARDWARE:	1
V5-80-1000		Handle, Paddle, Squad Bench, STD	1
V5-82-2500		Strut, Gas, 60 LB, Installed, ILOS, Mods	1
		CURBSIDE SPLINT CABINET 160-170 inch Module	1
VA-40-2950		Curbside Splint Cabt, None	1
		CURBSIDE REAR CABINET:	1
VF-20-4700		Cabinet,Curbside Rear,Standard,170",72"HR	1
		CABINET H, BASEWALL 170", T1/T3	1
VH-H2-0300		H, Cabinet, Inside/ Outside Access	1
		CABINET I, BASEWALL 170", T1/T3	1
VH-I2-0400		I, Cabinet, Deleted	1
		CABINET M, BASEWALL 160-170", T1/T3	1
VH-M1-0300		M, Cabinet, deleted	1
		CABINET O, BASEWALL 160-170", T1/T3	1
VH-O1-0100		O, Cabinet, full height, std	1
		CABINET CPR, BASEWALL, 149"-170", T1 & T3	1
VH-Q0-0101		CPR, side seat, Std Model only	1
VH-Q0-0301		CPR, side seat, flip up lid, Std Model only	1
		CABINET J, STREETSIDE UPPER 170", T1/T3	1
VI-J2-0300		J, Cabinet, 72" H.R.	1
		CABINET K, STREETSIDE UPPER 160-170", T1/T3	1
VI-K1-0205		K, Cabinet, 2/3 depth, 72" H.R.	1
		CABINET L, STREETSIDE UPPER 160-170", T1/T3	1
VI-L1-0356		L,Cabts,L1 in Angled Area,L2 std,Full F,72"HR,Std Model only	1
		BASEWALL DOORS:	1
VK-15-4000		Cab H, Gray Lexan Slider	1
VK-16-5000		Cab O, Gray Lexan Slider	1
		TELEMETRY AREA WORK SURFACE	1
VP-10-5462	<	Telemetry Tray, Poured, Gray, Narrow, 50" Aisle	1
		only for 50" aisle space units	
		ACTION AREA WORK SURFACE	1
VP-10-5916	<	A/A Tray, No Bio, Poured, Gray, Narrow, 50" Aisle	1
		only for 50" aisle space units	
		ACTION AREA 165/170 INCH BOX:	1
VP-15-7000		Cab,A/A,Without Biowaste, 160-170" In	1
VU-14-4000	< >	Shelf, Interior, Adj, in Cabinet:	4
		(1) each in cabts "J", "K", "L2", & "O"	

PART NO	S	DESCRIPTION	QTY
VU-14-4001	< >	Shelf Track, Cabt, #HA24663, Upgrade, Std Model only ("C" channel/exterior shelf style track)	4
		cabts "J", "K", "L2", & "O"	
VU-15-2000		Cab "J" Gray Lexan Slider	1
VU-15-4000		Cab "K" Gray Lexan Slider	1
VU-15-9000	<	Cab "L1" Wood Door	1
		hinged on right.	
VU-16-3000		Cab "L2" Gray Lexan Slider	1
		SHIP LOOSE ITEMS:	1
YY-00-0001	>	Bracket, Spare Tire Mounting, Ship Loose	1
YY-10-6400		Ship Loose, W.C. Standard Items	1
		WARRANTIES	1
ZZ-10-0100		Warranty, Conversion, 12 Month/12K Miles, Std.	1
ZZ-10-0200		Warranty, Paint, 12 Month/12K Miles, Std.	1
ZZ-10-0300		Warranty, Structural, 15 Years, Std., Mods	1
ZZ-10-1800		Warranty, Lifetime, Mod Electrical	1
ZZ-ZZ-0200	>	End Of Order	1