

QUOTATION

Everest Emergency Vehicles

Everest Emergency Vehicles Demo
 Bob Haselman
 1133 Rankin Street Suite D-1
 St Paul, MN 55116
 651-236-8944
 651-690-1871
 bob.haselman@everestev.com

Your Name Here

Exp. Date: 10/18/2007
Quote No: CF032910-0001 **Job/Order No:** 307020-22

07/07/2010

Page 1

PART NO	S	DESCRIPTION	QTY
		== Chevy, G33503 139", CM+, #7146C - 905.070 09/05/07 ==	1
	<	CHASSIS:	1
		307020 - 1GB6G2B69A1112184	
		307021 - 1GB6G2B61A1112258	
		307022 - 1GB6G2B69A1112735	
00-30-6005	S < >	Chevy, 2010, G33503, 146", CM +, #7146C 10-2	1
		Autothrottle OEM	
		Alternators OEM	
		THROTTLE CONTROLS:	1
1P-50-5050		High Idle Controls, OEM Switch in Dash, Chev T1,T3 & T9	1
		HEATING/AIR CONDITIONING:	1
5U-12-5000		Hoses, Heater, Nomex to Rear, STD	1
5U-13-6102	<	Heat/AC, Combo, Hoseline, Chevy C33503, CM+, Std w/Pureair faceplate, std.	1
		With thermostat in action area.	
		BULKHEAD CABINET:	1
TF-52-0555	< >	Cabinet, Bulkhead Panel, Std, CM+, W/3" ext	1
		with extended seat travel	
		with walkthru door	
		BULKHEAD SLIDING DOOR:	1
TP-10-6000	<	Door, Sliding, Bulkhead, STD	1
		w/ sliding Lexan window	
		WHEELCOVERS:	1
X5-10-3401		Covers, Wheel, Phoenix, C1/C3/C7, Installed, Std Model only	1
X5-15-0000			1
		== Type 7 - Module, CM+, Chevy, #7146C - 905.070 09/05/07 =	1
35-05-2000		INTERIOR CABINETS -Duralite Construction, Wood	1
		MODULE BODIES:	1
35-10-0067	<	Aisle Space, 49 Inches, Type 7, Std	1
		Install anti-slip decal with Wheeled Coach logo on curbside and rear stainless steel thresholds, STD	
35-10-0970		Headroom, 68" H.R., Std, Moduvan, CM+	1
35-14-9989	<	Box Assy, CM+, 68in HR, w/3" Seat Tr, Duraseam Doors, #7146C	1
		Chevy Cutaway 146x90x68" HR	

PART NO	S	DESCRIPTION	QTY
36-A0-0200	<	A, Compt, Split Doors, Citimedic Plus, #7146C Upper compt, with inside /outside access. Lower compt for (2)battery tray, zolatone painted.	1
36-B0-0101		B, Compt, Spare Tire, Citimedic Plus, #7146C	1
36-D0-0101	<	D, Compt, Full Height, Citimedic Plus, #7146C Full height backboard storage.	1
36-E0-0101		E Compt, Citimedic Plus, #7146C	1
36-F0-0101	<	F, Compt, 3/4 Height, Citimedic Plus, #7146C Oxygen storage. Sweepout compartment floor.	1
37-00-0310	<	Compartments, Zolatone Finish, CM+ Compts BATT/(Lower A), B, D, E, & F Machine stamped louvers located above the floor line for venting.	5
37-00-0511	<	Compartments, Std,Floor 3" Drop Down, CM+, Chev compts B,(more than 3" for spare tire) compts "D" & "E", 3" dropdown	3
37-00-0600	< >	Compartments, Sweepout compt "A" & "F" are std sweep out	2
37-00-0710	<	Duraseam Doors, with Hidden Jambs Magnetic door switches, STD	1
3A-10-4000		FUEL FILL HOUSING: Housing, Fuel Fill, Cast, F3/C3/CM+(7)	1
3F-20-1001	<	SHELF- COMPARTMENT "A"/RF CABINET: Shelf, Adjustable,(1), RF Cabt, CM+ centered top to bottom.	1
3F-50-0201		SHELF- COMPARTMENT "E": Shelf, Fixed, Cmpt E, for Electrical storage, CM+	1
3P-10-5201	>	WINDOWS: Window,Upper,CS/Slider,Rr/Fixed,Priv Tint,PAN,Std Model only	1
3U-30-8000		MODULE ENTRY DOOR HANDLES: Handles, Patient Entry, Trimark Black/Chrome "SafePass" STD	1
3U-40-0510	>	EXTERIOR COMPT DOOR HANDLES: Handle, Module Compt, Trimark, Black/Chrome, STD	1
40-10-1611	< >	DOOR HOLD OPENS: Hold Opens,Rr Doors,Cast,Grabber (2), 5.5", Std Model only ***Install so that doors will open as wide as possible.*** Mount at top of doors. (relocate to bottom is backup camera is selected)	1
40-10-7101	< >	Holdopen, Gas Strut, Ext Compt, 60lb , CM+ compt "D", std.	1
40-10-7201	<	Hold Open, Gas Strut, Ext Compt, 30lb, Std, CM+ compts "B", "E", & "F"	3
40-10-7205		Hold Open, Gas Strut, RF Compt, 30lb, Std DOOR PANELS:	1
			1

PART NO	S	DESCRIPTION	QTY
45-10-4505	< >	Panels, Entry, Durasafe, Stainless Steel, w/ Chevrons, STD Durasafe Design Aluminum Center Panels covered in white/red reflective tape.	1
		FENDER FLARES:	1
4A-10-3001		Flare, Fender, Bright Finish, Std Model only	1
		BUMPERS:	1
4F-11-5057	<	Bumper, Rear, CM+, Chevy Cutaway, w/LED Lights, #7146C w/ Gator Grip on flip up step.	1
		RUNNING BOARDS:	1
4K-10-5606		Running Boards, Citimedic, C7, w/ Gator Grip, #7146C only	1
		SKIRTRAILS W/BODY SPACERS:	1
4U-10-2551		Skirtrails, Diamond Plate, 146 inch, CM+, #7146C	1
		STONE GUARDS (FRONT):	1
4U-11-2030		Stone Guard, Front, Dia Plate, CM+	1
		KICKPLATES (w/STD. REAR STONEGUARDS):	1
50-10-4070		Kickplate, No Lights, w/ Recess, CitiMedic, ILOS, Duraseam	1
55-10-3000	<	Holder, License Plate, Cast, C30002, STD in rear kickplate, centered.	1
		SPARE TIRE BRACKET	1
55-20-1010	<	Bracket, Spare Tire Mounting, CM+ Mounted in Compt B, Std for CM+	1
5A-10-1001		Mud Flaps, Rear, W/Logo, Std Model only	1
		PAINT/BELTS:	1
5F-10-0800	< >	Paint, OEM White Sikkens Crossover Codes Dodge/Chevy white: FLNA4738	1
5F-10-4801	<	Paint, Belt, None, Std Model only Cab & Module, all white, std.	1
		ELECTRICAL SYSTEM:	1
		BATTERY SWITCHES:	1
60-20-356E	<	Battery Config, C3, Fig 5B, Electric Sw, (1) OEM In RF Comp (1) oem battery under hood. (1) oem battery RF compt. ONLY Module power is turned on/off. Chassis power is NOT turned off. Activated thru OEM ignition switch. No fail-safe switch, std.	1
		COAX CABLES/ANTENNAS:	1
65-10-3001	< >	Coax Cable, RG58/U, (1), Additional, Std Model only From module roof port number #1 to behind the passenger seat STD. With 6' pigtails	1
65-30-1000	< >	Coax Cable, RG58/U, (1) Each, Standard, Terminate: From module roof port number #3 to behind the passenger seat STD. With 6' pigtails	1
		12VDC POWER SOURCES & OUTLETS:	1

PART NO	S	DESCRIPTION	QTY
6A-22-201E	< >	Outlet, Cigar Lighter, STD, (2), CM+ on std 20amp ignition hot circuit.("elect batt sw") (1) outlet in action area (1) in RF cabt, wall #2, upper right	1
		POWER SOURCE, 12 VDC	1
6A-23-1201	< >	Power Source, 12 VDC, 15 Amp (+-), Std Model only Ignition hot, terminating in the front ECC w/6 foot tails (hot and ground).	1
6A-23-3001	< >	Power Source, 12 VDC, 30 Amp (+-), Std Model only Constant Hot, to terminate behind the passenger seat, w/6 foot tails (hot and ground).	1
		SHORELINE INLETS:	1
6F-90-4101	< >	Super Auto Eject, 20 amp, w/interrupter, ILOS, Std Model only with white cover. mounted above compartment "E"	1
		110 VAC OUTLETS:	1
6K-40-1000	<	Outlet, 110 VAC, Duplex, (2), STD (1) outlet in action area (1) outlet in the RF cabt "E1", wall #2, upper right. (change to cabt "E2" for Pureair 1 cabt)	1
		PREWIRES:	1
7P-10-1005	<	Prewire, Stock, Wires Only, for "Std Model" Units to include: fog lights, wigwag, & block heater	1
7P-50-4500	>	Prewire, Inverter Vanner 1000 TUL/CUL, Plug In	1
		CONSOLES:	1
7U-10-7000		Console, A/A, Wood, Angled	1
7U-11-0050	< >	Console, ECC, Chevy Cutaway, STD, W/Map Storage, 2007+ Painted black.	1
		GAUGES/METERS:	1
D0-10-7000		Voltmeter, OEM, In Dash	1
		SIREN SPEAKERS:	1
DF-20-5560		Speakers, Siren, Cast, In Bumper, Chevy T3 & T7, STD	1
		SIRENS:	1
DK-10-1400	>	Siren, Whelen, WS-295-HFSA1, Standard	1
		SWITCHING OPTIONS FOR AIR HORNS & SIRENS:	1
DP-11-1000		Switch, Siren/Horn Thru Horn Ring	1
		AUDIBLE ALARMS:	1
F0-11-3501		Alarm, Back-Up, Auto Reset, Std Model only	1
		VEHICLE EXTERIOR LIGHTING	1
		WHELEN LED 45KKK ADVANTAGE PLUS LIGHT BAR, 700 SERIES	1
FK-24-2050	< >	Lightbar, Whelen 45KKKFL, 76", LLLLLL, RCRRCR, ILOS 700 Series Super LED's. Lenses: Clear *Center white light to be primary only thru Whelen AFM560 Flasher. *Outboard red lights to be pri/sec thru Whelen AFM560 Flasher, sim flash, alt w/center white. Lights 2,3,5,& 6 to flash using internal 45LFLASH flasher, 2&6 to alt with 3&5, on lightbar switch. w/ICC lights on top of LB	1

PART NO	S	DESCRIPTION	QTY
		WHELEN HALOGEN 9E WARNING LIGHTS:	1
	>	WHELEN SUPER LED 9L STEADY BURN LIGHTS T1,3,9:	1
FU-40-0500	< >	Light, 9L, Super LED, Whelen, Red,Red Lens,ILOS, 90RR5SRR (2) each side standard location (2) on rear in upper outer corners	6
FU-40-0501	< >	Light, 9L, Super LED, Whelen,Red,Red Lens,IATS, 90RR5SRR (2) to show through the upper rear windows.	2
		*Switch Pri/Sec *Flash simultaneously with the center amber.	
FU-40-0512	< >	Light, 9L, Super LED, Whelen,Amber,Amber Lens,ILOS, 90AA5SAR on center rear	1
		7 SERIES SUPER LED STEADY BURN LIGHTS:	1
H5-58-0510	<	Light, 7L, Super LED, Red, Red Lens, ILOS, 70R02SRR (2) as intersection lights. (2) as grille lights.	4
		WHELEN FLANGES 7 SERIES LIGHTS	1
H5-59-1010	<	Housings, Whelen, 7E Grille Lights, Pair, Chev T3/CM #7GCV6LRC	1
H5-59-1012	<	Housings, Whelen, 7E Intersection Lights, Pair, Chev T3/CM #71CV6LRC	1
		CORNER CAP LIGHTS	1
HF-11-6049	<	Corner Cap Lts,Multi-LED,(2)Amber(2)Red w/Flashers,Std Model High intensity flashers. thru separate switch.	1
		CLEARANCE LIGHTS:	1
HF-12-9601	<	Light, Clearance, Red LED, Std Model only On rear as clearance lights.	3
		SCENE AND LOAD LIGHTS	1
HK-20-110E	<	Light, Halogen, Whelen, 9H, Clear, 8-32 Deg, STD, (1) (2) each side as scene lights	4
HK-20-130E	<	Light, Halogen, Whelen, 9H, Clear, 8-32 Deg, STD, (1) (2) on rear as load lights	2
		WARNING LIGHT FLASHERS	1
HU-24-7500	< >	Flasher, Whelen AFM-560, ILOS Set flash pattern to Comet Flash	1
		HARNESS LAYOUT:	1
J5-12-3000		Halogen, " E " Spec, Whelen, (1) Lightbar	1
		STOP/TURN/TAIL LIGHTS:	1
JA-10-1200		Light, License Tag, (2), Trucklite #15205 LED, ILOS	1
JA-13-8010		Tailights, Whelen,LED Stop/Tail,Halogen/Backup, w/ WC logo	1
		MODULE OVERHEAD HEADLINER:	1
JK-10-5500	>	Headliner, Flat, Expanded PVC, Std	1
		12VDC INT LIGHTING-HALOGEN & INCANDESCENT:	1
JP-10-2000		Lights, Weldon, 8046-0320-80, (3) S/S, (2) C/S, CM+	1
JP-10-7005		Light, Stepwell, Trucklite, 2in, Std	1
JP-10-8000		Light, Xantech, 105-500, 5 Inch,In A/A	1
		12VDC INTERIOR LIGHTING - FLUORESCENT:	1
JP-16-1106	< >	Lights, Fluor,Liteco #17918265,18IN,(3),W/Sw, Std Model Only Recessed, 18"	1
		Mount in liner positions F, G, and H	

PART NO	S	DESCRIPTION	QTY
		With switch in A/A.	
		LIGHTS & MISCELLANEOUS:	1
JR-50-1401		Spotlight, Blue Eye, 400,000 CP, Std Model only	1
JR-60-2001	< >	Timer/Circuit, 15 Minute, Intermatic, Const Hot, Std Model only	1
		LOCATION: on C/S wall at the head of the squad bench in the standard location.	
		WIRED TO: Fluorescent lights in liner.	
JR-70-0005	<	Light, in Circuit Board Area, for Electrical Troubleshooting	1
		with integral switch. wired constant hot.	
		SUCTION PUMPS:	1
LP-10-0500		Suction Pump, Thomas, Standard	1
		INSULATION:	1
LU-10-1000		Insulation, Fiberglass, Unfaced	1
		GRABRAIL(S)/GRABHANDLES:	1
N0-10-9106	<	Grabrail, Overhead, 96.5", Handicap Style, Yellow, Std Model only	1
		Yellow Powder Coat Finish	
N0-10-9703	<	Handrails, (3), Custom "L" Shape, 1", Yellow, Entry Drs, Std Model	1
		For units with Trimark handles.	
		Yellow Powder Coat Finish Stainless Steel Grab Handles	
		ILOS	
		O2 CYLINDER RACKS:	1
NA-10-2500	>	Rack, Cylinder, Ziamatic, "M", QRM-2	1
		O2 SYSTEMS COMPLETE:	1
NF-50-1001	< >	O2 Sys, LF, (2)O2/(1)Vac Port A/A, (1)O2 C/S, Std Model only	1
		ohio style (2) oxygen outlets in action area (1) vacuum port in action area (1) oxygen outlet cs wall at head of squad bench	
		SUCTION CONTAINERS:	1
PA-10-7001	>	Regulator/Holder, SSCOR 22000, Std Model only	1
	<	COT MOUNTS:	1
		None	
		IV HOOKS:	1
PP-20-1000	< >	IV Hook, Perko, (1), W/Straps, STD	2
		curbside and streetside standard locations	
		KICK PLATES STAINLESS STEEL, ON CABINETS:	1
PU-10-5050		Kickplate, Brushed SS, Face of S/B & Basewall, #7146/#1146	1
		INSTALLED STRAPS:	1
RK-12-1000		Strap, In Stairchair Storage, Standard	1
RK-12-3200	<	Strap, Quick Clip Adjustable, Citi Medic, Std in LR compt City Medic Plus	1
		Located in the Left Rear Compartment	
		MODULE INTERIOR	1
RU-05-0000		Interior Cabinets - Duralite Construction, Wood	1
		MICA COLOR:	1
RU-10-1000		Mica, Dove Gray Over Brittany Blue	1

PART NO	S	DESCRIPTION	QTY
		SUB FLOORING:	1
RZ-99-0025		Flooring, Wood, Type 3/7/9, Std	1
		FLOORING:	1
T0-11-8201		Flooring, Lonplate II, Gunpowder Grey #424TX, Std Model only	1
		SEAMLESS ATTENDANT SEATS:	1
T5-10-5050	<	Seat, Attendant, EVS 1780S, Gunmetal, Swivel Base, STD	1
		With load bearing slide track, 3 point seatbelt and EVS188S Swivel Base.	
		SEAMLESS UPHOLSTERY:	1
T5-25-1500		Uph, Smless, Gunmetal, W/Bio, No Post & Wheel	1
		LEXAN, CITIMEDIC PLUS:	1
TB-10-0025		Cab J1, Wood Door, Hinged on the Bottom	1
TB-10-0110		Cab K, Gray Lexan Slider	1
TB-10-0150		Cab L1, Gray Lexan Slider	1
TB-10-0230		Cab M, Gray Lexan Slider	1
TB-10-0270		Cab N, Gray Lexan Slider	1
TB-10-0310		Cab O, Gray Lexan Slider	1
TB-10-0350		Cab P, Gray Lexan Slider	1
		O2 DOOR:	1
TK-10-5010	>	Lexan Flaps, Hinged Left Side, Fixed Right Side, Std	1
		GLOVE HOLDERS:	1
TN-20-1001	<	Cabinet, Glove Box Holder, (3), Above C/S door, Std Model only	1
		Drawing #241540D	
		RIGHT FRONT CABINET:	1
TU-20-4955		Cabinet, RF, Std, w/3" Seat Travel, Combo A/C, CM+	1
		RF CABINET DOORS W/COMBO A/C	1
TU-20-8701		Doors, Dual Wood, Cabinet E-1, CM+	1
		HARDWARE, LATCHES AND LOCKS:	1
V0-10-0500	< >	Handle, C, Pull, Installed, (1) Ea, STD	2
		RF cabt(s)	
V0-10-2000	< >	Latch, Plunger Roller, Installed	4
		RF cabt(s)	
V0-11-5000	< >	Latch, Lever, No Key, STD, Installed	2
		at top of RF cabinet door(s)	
V0-11-7001	< >	Latch, Lever, W/Key, STD, Installed, CM+	1
		Cabt "J", wood door	
		SQUAD BENCH:	1
V5-20-7050	<	Cabinet, Squad Bench, Standard, CM+	1
		With Bio-waste at the head of the squad bench cabinet.	
		HARDWARE:	1
V5-80-1000		Handle, Paddle, Squad Bench, STD	1
V5-82-2500		Strut, Gas, 60 LB, Installed, ILOS, Mods	1
		BASEWALL CABINET:	1
VK-17-7156	<	Cabinet, Basewall, Std, CM+, w/ ext seat travel, #7146C/F only	1
		Cabinet H for stairchair	
		Cabinets M, N, O, P.	
VK-17-7168	<	Cabinet, SSU, Std, J, Wide K & L With Ctr Divider, CM+, #7146C/F	1
		Cabinet J1 with door hinged at the bottom, lever latch at top.	
		Cabinets K & L	
		ACTION AREA WORK SURFACE	1
VP-10-5916	<	A/A Tray, No Bio, Poured, Gray, Narrow, 50" Aisle, Type 3	1

PART NO	S	DESCRIPTION	QTY
		only for 50" aisle space units	
		A/A CABINET:	1
VP-15-0065		Cabinet, A/A, No P2, CitiMedic Plus	1
		SHIP LOOSE ITEMS:	1
YY-10-6400		Ship Loose, W.C. Standard Items	1
YY-13-3000		Spare Tire, Ship Loose	1
		WARRANTIES	1
ZZ-10-0100		Warranty, Conversion, 12 Month/12K Miles, Std.	1
ZZ-10-0200		Warranty, Paint, 12 Month/12K Miles, Std.	1
ZZ-10-0300		Warranty, Structural, 15 Years, Std., Mods	1
ZZ-10-0600		Warranty, Limited Lifetime Electrical	1
ZZ-ZZ-0200		> End Of Order	1