

QUOTATION

Everest Emergency Vehicles

Everest Emergency Vehicles Demo
 Bob Haselman
 1133 Rankin Street Suite D-1
 St Paul, MN 55116
 651-236-8944
 651-690-1871
 bob.haselman@everestev.com

Your Name Here

Exp. Date: 02/13/2008
Quote No: REV-002- **Job/Order No:** 281190

06/07/2010

WO#: 281190

Page 1

PART NO	S	DESCRIPTION	QTY	EXTENDED
		== Ford, F-350,165"WB,4x2, XLT,146",#1146F - 905.070 09/05/ CHASSIS:	1	
		SHOP NOTE:	1	
00-10-6100	S	< > Ford, 2009 F350, 4x2, CM+, #1146F 08-3 SHOP NOTE:	1	
		Autothrottle OEM Ford Alternator OEM Ford Mirrors, OEM, Heated/Remote Cab seats OEM Captains chairs(no armrests)		
		CAB TO MODULE MOUNTING:	1	
10-10-1002		< > Bellows, Passthru, Unigrip, F1 2008+, #1146F SHOP NOTE:	1	
		With Aluminum cab insert.		
		HEATING/AIR CONDITIONING:	1	
5U-10-8600	<	Heat/AC, F1, Combo, Hoseline, Citimedic Plus, Std SHOP NOTE:	1	
		with thermostat in action area.		
5U-12-5000		Hoses, Heater, Nomex to Rear, STD	1	
		CONSOLES:	1	
7U-10-0602		Console, Center, Pass-thru, Mica Finish, F1, 2008+ SHOP NOTE:	1	
7U-10-7000		Console, A/A, Wood, Angled	1	
		BULKHEAD CABINET:	1	
TF-52-0556	>	Cabinet, Bulkhead, Std, Citi Medic Plus, #1146C/D/F	1	
		WHEELCOVERS:	1	
X5-10-3801	>	Covers, Wheel,Phoenix,F350 2005+,Installed,#1146F/1153F only	1	
X5-15-0000			1	
		== Type 1 - Module, CM+, Ford, #1146F - 905.070 09/05/07 ==	1	
35-05-2000		INTERIOR CABINETS -Duralite Construction, Wood	1	
		MODULE BODIES:	1	
35-10-0070	<	Aisle Space, 49 inches, STD, Type 1 CM+, Std Model Only SHOP NOTE: (48-49" actual)	1	
		Install anti-slip decal with Wheeled Coach logo on curbside and rear stainless steel thresholds, STD		
35-10-0970		Headroom, 68" H.R., Std, Moduvan, CM+	1	

PART NO	S	DESCRIPTION	QTY	EXTENDED
35-14-9991	<	Box Assy,CM+, 68in HR, Type 1, Duraseam Doors, #1146F SHOP NOTE: 146x90x68" HR	1	
36-A0-0102	<	A, Compt, Single Door, Citimedic Plus, #1146C/D/F SHOP NOTE: Single door with inside /outside access, upper area. Outside access only to lower aluminum area. Battery storage, under hood.	1	
36-B0-0102		B, Compt, Spare Tire, Citimedic Plus, #1146C/D/F	1	
36-D0-0102	<	D, Compt, Full Height, Citimedic Plus, #1146C/D/F SHOP NOTE: Full height backboard storage.	1	
36-E0-0102		E Compt, Citimedic Plus, #1146C/D/F	1	
36-F0-0102	<	F, Compt, 3/4 Height, Citimedic Plus, #1146C/D/F SHOP NOTE: Oxygen storage. Sweepout compartment floor.	1	
37-00-0310	<	Compartments, Zolatone Finish, CM+ SHOP NOTE: Compts BATT/(Lower A), B, D, E, & F Machine stamped louvers located above the floor line for venting.	5	
37-00-0510	<	Compartments, Std, Floor 3" Drop Down, CM+, Ford SHOP NOTE: compts "B", "D", & "E", Std for Citimedic Plus	3	
37-00-0600	< >	Compartments, Sweepout SHOP NOTE: compt "A" & "F" are std sweep out	2	
37-00-0710	<	Duraseam Doors, with Hidden Jambs SHOP NOTE: Magnetic door switches, STD	1	
3A-10-1000	>	FUEL FILL HOUSING: Housing, Fuel Fill, Cast, F1/C1/D1	1	
3F-20-1001	<	SHELF- COMPARTMENT "A"/RF CABINET: Shelf, Adjustable,(1), RF Cabt, CM+ SHOP NOTE: centered top to bottom.	1	
3F-50-0201		SHELF- COMPARTMENT "E": Shelf, Fixed, Cmpt E, for Electrical storage, CM+	1	
3P-10-5201	>	WINDOWS: Window,Upper,CS/Slider,Rr/Fixed,Priv Tint,PAN,Std Model only	1	
3U-30-1000		MODULE ENTRY DOOR HANDLES: Handle, Entry, Max Grip Eberhard, J236	1	
3U-40-0500	>	EXTERIOR COMPT DOOR HANDLES: Handle, Compt, C/S, Max Grip Eberhard, J236	2	
3U-40-0505	>	Handle, Compt, S/S, Max Grip Eberhard, J236	3	

PART NO	S	DESCRIPTION	QTY	EXTENDED
		DOOR HOLD OPENS:	1	
40-10-1601	< >	Hold Opens,Rr Doors,Cast,Grabber (4),4.5", Std Model only	1	
		SHOP NOTE: ***Install so that doors will open as wide as possible.***		
40-10-7101	< >	Holdopen, Gas Strut, Ext Compt, 60lb , CM+	1	
		SHOP NOTE: compt "D", std.		
40-10-7201	<	Hold Open, Gas Strut, Ext Compt, 30lb, Std, CM+	3	
		SHOP NOTE: compts "B", "E", & "F"		
40-10-7205		Hold Open, Gas Strut, RF Compt, 30lb, Std	1	
		DOOR PANELS:	1	
45-10-4505	< >	Panels, Entry, Durasafe, Stainless Steel, w/ Chevrons, STD	1	
		SHOP NOTE: Durasafe Design Aluminum Center Panels covered in white/red reflective tape.		
		FENDER FLARES:	1	
4A-10-3001		Flare, Fender, Bright Finish, Std Model only	1	
		BUMPERS:	1	
4F-11-5058	<	Bumper, Rear, CM+, F1, w/LED Lights, #1146F	1	
		SHOP NOTE: w/ Gator Grip on flip up step.		
		RUNNING BOARDS:	1	
4K-10-2108		Running Boards, Standard, F1, w/ Gator Grip, #1146F	1	
		SKIRTRAILS W/BODY SPACERS:	1	
4U-10-2552		Skirtrails, Diamond Plate, 146 inch, CM+, #1146F	1	
		STONE GUARDS (FRONT):	1	
4U-11-2030		Stone Guard, Front, Dia Plate, CM+	1	
		KICKPLATES (w/STD. REAR STONEGUARDS):	1	
50-10-4070		Kickplate, No Lights, w/ Recess, CitiMedic, ILOS,Duraseam	1	
55-10-3000	<	Holder, License Plate, Cast, C30002, STD	1	
		SHOP NOTE: in rear kickplate, centered.		
		SPARE TIRE BRACKET	1	
55-20-1010	<	Bracket, Spare Tire Mounting, CM+	1	
		SHOP NOTE: Mounted in Compt B, Std for CM+		
5A-10-1001		Mud Flaps, Rear, W/Logo, Std Model only	1	
		PAINT/BELTS:	1	
5F-10-4801	<	Paint, Belt, None, Std Model only	1	
		SHOP NOTE: Cab & Module, all white, std.		
5P-10-5000		Roof Star, White Border, Installed	1	
		ELECTRICAL SYSTEM:	1	
		BATTERY SWITCHES:	1	
60-20-050E	<	Battery Conf, Fig 5B, Electric Sw, F1/D1, Batt Under Hood	1	
		SHOP NOTE: ONLY Module power is turned on/off. Chassis power is NOT turned off. Batteries under hood.		

PART NO	S	DESCRIPTION	QTY	EXTENDED
		Activated thru OEM ignition switch. Emergency fail-safe switch mounted in circuit board area.		
		COAX CABLES/ANTENNAS:	1	
65-30-6500	< >	Base- Antenna, Motorola Mount, W/Coax	2	
		SHOP NOTE: NOTE: (1) Roof Port 1 to behind passenger seat (1) Roof Port 3 to behind passenger seat		
		12VDC POWER SOURCES & OUTLETS:	1	
6A-22-201E	< >	Outlet, Cigar Lighter, STD, (2), CM+	1	
		SHOP NOTE: on std 20amp ignition hot circuit.("elect batt sw") (1) outlet in action area (1) in RF cabt, wall #2, upper right		
		POWER SOURCE, 12 VDC	1	
6A-23-1201	< >	Power Source, 12 VDC, 15 Amp (+-), Std Model only	1	
		SHOP NOTE: Ignition hot, terminating in cab console w/6 foot tails (hot and ground).		
6A-23-3001	< >	Power Source, 12 VDC, 30 Amp (+-), Std Model only	1	
		SHOP NOTE: Constant Hot, to terminate behind the passenger seat, w/6 foot tails (hot and ground).		
		SHORELINE INLETS:	1	
6F-90-4101	< >	Super Auto Eject, 20 amp, w/interrupter, ILOS, Std Model only	1	
		SHOP NOTE: with white cover. mounted above compartment "E"		
		110 VAC OUTLETS:	1	
6K-40-1000	<	Outlet, 110 VAC, Duplex, (2), STD	1	
		SHOP NOTE: (1) outlet in action area (1) outlet in the RF cabt "E1", wall #2, upper right. (change to cabt "E2" for Pureair 1 cabt)		
		PREWIRES:	1	
7P-10-1005	<	Prewire, Stock, Wires Only, for "Std Model" Units	1	
		SHOP NOTE: to include: fog lights, wigwag, & block heater		
7P-50-4500	>	Prewire, Inverter Vanner 1000 TUL/CUL, Plug In	1	
		GAUGES/METERS:	1	
D0-10-1200		Meter, Analog, Volts, Datcon, F1	1	
		SIREN SPEAKERS:	1	
DF-10-1240	<	Siren Speakers, Cast SAD/P4314, F1, 2008, Std	1	
		SHOP NOTE: Thru Front Bumper		
		SIRENS:	1	
DK-10-1400	>	Siren, Whelen, WS-295-SLSA1, Standard	1	
		SWITCHING OPTIONS FOR AIR HORNS & SIRENS:	1	
DP-11-1000		Switch, Siren/Horn Thru Horn Ring	1	
		AUDIBLE ALARMS:	1	
F0-11-3501		Alarm, Back-Up, Auto Reset, Std Model only	1	
		WHELEN 45KKK ADVANTAGE PLUS LIGHT BAR	1	
FK-25-0200	< >	LB, 45KKFH, HRRHRRH, RRRCRRR	1	

PART NO	S	DESCRIPTION	QTY	EXTENDED
		SHOP NOTE:		
		on front ILOS warning lights with ICC lights on top of LB		
		WHELEN HALOGEN 9E WARNING LIGHTS:	1	
FU-30-051E	<	Light, 9H, Whelen, Red, Std Model	6	
		SHOP NOTE:		
		(2) each side standard location		
		(2) on rear in upper outer corners		
FU-30-101E	<	Light, 9H, Whelen, Red, IATS, Std Model only	2	
		SHOP NOTE:		
		(2) to show through the upper rear windows.		
		*Switch Pri/Sec		
		*Flash simultaneously with the center amber.		
FU-30-250E	<	Light, 9H, Whelen, Amber, STD	1	
		SHOP NOTE:		
		on center rear		
		GRILLE/INTS LIGHTS, 2008+ FORD & DODGE T1, WHELEN:	1	
H5-59-400E	<	Light, Whelen, LIN3, LED-Red, Grille/Ints, Std, RSRO2ZCR	4	
		SHOP NOTE:		
		(2) in upper grille		
		(2) front intersectors		
		wired thru external flasher, std.		
		CORNER CAP LIGHTS	1	
HF-11-6051	<	Corner Cap Lts,LED,(2)Amber(2)Red w/Flashers,Std Model only	1	
		SHOP NOTE:		
		High intensity flashers.		
		thru separate switch.		
		CLEARANCE LIGHTS:	1	
HF-12-9601	<	Light, Clearance, Red LED, Std Model only	3	
		SHOP NOTE:		
		On rear as clearance lights.		
		SCENE AND LOAD LIGHTS	1	
HK-20-110E	<	Light, Halogen, Whelen, 9H, Clear, 8-32 Deg, STD, (1)	4	
		SHOP NOTE:		
		(2) each side as scene lights		
HK-20-130E	<	Light, Halogen, Whelen, 9H, Clear, 8-32 Deg, STD, (1)	2	
		SHOP NOTE:		
		(2) on rear as load lights		
		WARNING LIGHT FLASHERS	1	
HU-24-6000		Flasher, Vanner 3860WC, C/D/E Spec	1	
		HARNES LAYOUT:	1	
J5-12-2000		Halogen, " E " Spec, Vanner, (1) Lightbar	1	
		STOP/TURN/TAIL LIGHTS:	1	
JA-10-1000		Light, License Tag, (2), Grote 60101, STD	1	
JA-13-8010		Tailights, Whelen,LED Stop/Tail,Halogen/Backup, w/ WC logo	1	
		MODULE OVERHEAD HEADLINER:	1	
JK-10-5500	>	Headliner, Flat, Expanded PVC, Std	1	
		12VDC INT LIGHTING-HALOGEN & INCANDESCENT:	1	
JP-10-2000		Lights, Weldon, 8046-0320-80, (3) S/S, (2) C/S, CM+	1	
JP-10-7005		Light, Stepwell, Trucklite, 2in, Std	1	

PART NO	S	DESCRIPTION	QTY	EXTENDED
JP-10-8000		Light, Xantech, 105-500, 5 Inch, In A/A	1	
		12VDC INTERIOR LIGHTING - FLUORESCENT:	1	
JP-16-1106	< >	Lights, Fluor, Liteco #17918265, 18IN, (3), W/Sw, Std Model Only	1	
		SHOP NOTE: Recessed, 18"		
		Mount in liner positions F, G, and H		
		With switch in A/A.		
		LIGHTS & MISCELLANEOUS:	1	
JR-50-1401		Spotlight, Blue Eye, 400,000 CP, Std Model only	1	
JR-60-2001	< >	Timer/Circuit, 15 Minute, Intermatic, Const Hot, Std Model only	1	
		SHOP NOTE: LOCATION: on C/S wall at the head of the squad bench in the standard location. WIRED TO: Fluorescent lights in liner.		
JR-70-0005	<	Light, in Circuit Board Area, for Electrical Troubleshooting	1	
		SHOP NOTE: with integral switch. wired constant hot.		
		SUCTION PUMPS:	1	
LP-10-0500		Suction Pump, Thomas, Standard	1	
		INSULATION:	1	
LU-10-1000		Insulation, Fiberglass, Unfaced	1	
		GRABRAIL(S)/GRABHANDLES:	1	
N0-10-9106	<	Grabrail, Overhead, 96.5", Handicap Style, Yellow, Std Model only	1	
		SHOP NOTE: Yellow Powder Coat Finish		
N0-10-9701	<	Handrails, (3), "L" Shape, 1", Yellow, Entry Doors, Std Model only	1	
		SHOP NOTE: Yellow Powder Coat Finish Stainless Steel Grab Handles ILOS		
		O2 CYLINDER RACKS:	1	
NA-10-2500	>	Rack, Cylinder, Ziamatic, "M", QRM-2	1	
		O2 SYSTEMS COMPLETE:	1	
NF-50-1001	< >	O2 Sys, LF, (2)O2/(1)Vac Port A/A, (1)O2 C/S, Std Model only	1	
		SHOP NOTE: ohio style (2) oxygen outlets in action area (1) vacuum port in action area (1) oxygen outlet cs wall at head of squad bench		
		SUCTION CONTAINERS:	1	
PA-10-7001	>	Regulator/Holder, SSCOR 22000, Std Model only	1	
		COT MOUNTS:	1	
PF-26-3400	< >	Cot Mount, Side, 6361/Wall Mount	1	
		SHOP NOTE: MX Pro		
		COT PLATES:	1	
PK-40-8300		Cot Plates, Full Length, 6" X 87"	1	
		IV HOOKS:	1	
PP-20-1000	< >	IV Hook, Perko, (1), W/Straps, STD	2	
		SHOP NOTE:		

PART NO	S	DESCRIPTION	QTY	EXTENDED
		curbside and streetside standard locations		
		KICK PLATES STAINLESS STEEL, ON CABINETS:	1	
PU-10-5050		Kickplate,Brushed SS, Face of S/B & Basewall,#7146/#1146	1	
		INSTALLED STRAPS:	1	
RK-12-1000		Strap, In Stairchair Storage, Standard	1	
		STRAPS, INSTALLED:	1	
RK-13-3500	<	Seat Belt, Across Compt Opening	3	
		SHOP NOTE:		
		ship loose		
		MODULE INTERIOR	1	
RU-05-0000		Interior Cabinets - Duralite Construction, Wood	1	
		MICA COLOR:	1	
RU-10-1000		Mica, Dove Gray Over Brittany Blue	1	
		SUB FLOORING:	1	
RZ-99-0025		Flooring, Wood, Type 3/7/9, Std	1	
		FLOORING:	1	
T0-11-8201		Flooring, Lonplate II,Gunpowder Grey #424TX, Std Model only	1	
		SEAMLESS ATTENDANT SEATS:	1	
T5-10-5050	<	Seat, Attendant, EVS 1780S, Gunmetal, Swivel Base, STD	1	
		SHOP NOTE:		
		With load bearing slide track, 3 point seatbelt and EVS188S Swivel Base.		
		SEAMLESS UPHOLSTERY:	1	
T5-25-1500		Uph, Smless, Gunmetal,W/Bio,No Post & Wheel	1	
		LEXAN, CITIMEDIC PLUS:	1	
TB-10-0025		Cab J1, Wood Door, Hinged on the Bottom	1	
TB-10-0110		Cab K, Gray Lexan Slider	1	
TB-10-0150		Cab L1, Gray Lexan Slider	1	
TB-10-0230		Cab M, Gray Lexan Slider	1	
TB-10-0270		Cab N, Gray Lexan Slider	1	
TB-10-0310		Cab O, Gray Lexan Slider	1	
TB-10-0350		Cab P, Gray Lexan Slider	1	
		O2 DOOR:	1	
TK-10-5010		Lexan Flaps, Hinged Left Side, Fixed Right Side, Std	1	
		GLOVE HOLDERS:	1	
TN-20-1001	<	Cabinet, Glove Box Holder,(3),Above C/S door, Std Model only	1	
		SHOP NOTE:		
		(narrows cabt "E1" on 2001 Pureair w/low headroom)		
		RIGHT FRONT CABINET:	1	
TU-20-4956		Cabinet, RF, Std, Combo A/C, CM+, #1146C/D/F	1	
		RF CABINET DOORS W/COMBO A/C	1	
TU-20-8701		Doors,Dual Wood,Cabinet E-1, CM+	1	
		HARDWARE,LATCHES AND LOCKS:	1	
V0-10-0500	< >	Handle, C, Pull, Installed,(1) Ea,STD	2	
		SHOP NOTE:		
		RF cabt(s)		
V0-10-2000	< >	Latch, Plunger Roller, Installed	4	
		SHOP NOTE:		
		RF cabt(s)		
V0-11-5000	< >	Latch, Lever, No Key, STD, Installed	1	
		SHOP NOTE:		
		cabt J door		
V0-11-7001	< >	Latch, Lever, W/Key, STD, Installed, CM+	2	
		SHOP NOTE:		
		(2)Cabt E1 top of doors, added to order.		

PART NO	S	DESCRIPTION	QTY	EXTENDED
		SQUAD BENCH:	1	
V5-20-7051	<	Cabinet, Squad Bench, Standard, CM+, #1146C/D/F	1	
		SHOP NOTE:		
		With Bio-waste at the head of the squad bench cabinet.		
		HARDWARE:	1	
V5-80-1000		Handle, Paddle, Squad Bench, STD	1	
V5-82-2500		Strut, Gas, 60 LB, Installed, ILOS, Mods	1	
		BASEWALL CABINET:	1	
VK-17-715A	<	Cabinet, H, In Stairchair Area, CitiMedic Plus	1	
		SHOP NOTE:		
		Bolt in Cabinet H above stairchair storage area. Allow 40" from bottom of cabinet to floor.		
VK-17-715B	<	Cabinet, Basewall, Std, CM+, #1146C/D/F only	1	
		SHOP NOTE:		
		Cabinet H for stairchair		
		Cabinet M, N, O, P.		
VK-17-7169	<	Cabinet, SSU, Std, J, Wide K & L With Ctr Divider, CM+, #1146C/D/F	1	
		SHOP NOTE:		
		Cabinet J1 with door hinged at the bottom, lever latch at top.		
		Cabinets K & L		
		ACTION AREA WORK SURFACE	1	
VP-10-5914		A/A Tray, 149"-170", W/O Bio, Poured, Gray	1	
VP-15-0066		Cabinet, A/A, No P2, CitiMedic Plus, #1146C/D/F	1	
VU-14-4100	<	Shelf, Interior, Adj, in Cabinet:	2	
		SHOP NOTE:		
		Cabinets K, L		
		SHIP LOOSE ITEMS:	1	
YY-10-6400		Ship Loose, W.C. Standard Items	1	
YY-13-3000		Spare Tire, Ship Loose	1	
YY-15-3000		Decal, Dot Package, White Border, Ship Loose	1	
		WARRANTIES	1	
ZZ-10-0100		Warranty, Conversion, 12 Month/12K Miles, Std.	1	
ZZ-10-0200		Warranty, Paint, 12 Month/12K Miles, Std.	1	
ZZ-10-0300		Warranty, Structural, 15 Years, Std., Mods	1	
ZZ-10-0600		Warranty, Limited Lifetime Electrical	1	
ZZ-ZZ-0200	>	End Of Order	1	