

**QUOTATION**

**Everest Emergency Vehicles**

Everest Emergency Vehicles Demo  
 Bob Haselman  
 1133 Rankin Street Suite D-1  
 St Paul, MN 55116  
 651-236-8944  
 651-690-1871  
 bob.haselman@everestev.com

Your Name Here

**Exp. Date:** 08/15/2009  
**Quote No:** CF071709- **Job/Order No:** 293106-108

06/07/2010 Page 1 WO#: 293106-108

PART NO	S	DESCRIPTION	QTY
		== Chev, 139"WB, 153" Module, #3153C - 618.080 06/18/08 ==	1
	<	CHASSIS:	1
		1GBJG316491180096	
		1GBJG316491180177	
		1GBJG316691180858	
00-30-5503	< >	Chev, 2009, Cutaway, 139" WB, 153" Module, #3153C 09-5	1
		153X95	
		Autothrottle OEM	
		Alternators OEM	
		Note: C/S Splint cabt is no longer included in std model price !!	
		THROTTLE CONTROLS:	1
1P-50-5055		High Idle Controls,OEM Switch in Steering Wheel,Chev T3/T7	1
		HEATING/AIR CONDITIONING:	1
5U-12-5000		Hoses, Heater, Nomex to Rear, STD	1
5U-14-1550	<	Heat/AC, C3, Pureair, 2001 Style, ILOS	1
		with thermostat in action area.	
		WHEELCOVERS:	1
X5-10-3401	<	Covers,Wheel,Phoenix,C1(-07)/C3/C7,Installed,Std Model only	1
		with Air Plus Valve Extenders, std	
X5-15-0000		== Type 3 Chev - 153" Module - #3153C - 618.080 06/18/08 ==	1
35-05-0122		Type 3 - 153" Module General Body Construction Spec	1
35-05-0123		Type 3 - 153" Module Vehicle Body Structure Spec	1
35-05-0124		Type 3 - 153" Module - Standard Model Series	1
35-05-2000		INTERIOR CABINETS -Duralite Construction, Wood	1
		MODULE BODIES:	1
35-10-0066	< >	Aisle Space, 50 inches, STD, Type 3, Std Model Only	1
		(49-50" actual)	
		Install anti-slip decal with Wheeled Coach logo on curbside and rear stainless steel thresholds, STD	
35-10-0102	>	2 Inch Extended Cab, Chev 153", Std	1
35-10-0703	<	Headroom, 72 in. Type 3 - 153" module, #3153C	1
		Curbside door jamb opening: 30.25"W x 73"H	
		Rear door jamb opening: 50.5"W x 62.75"H	
37-00-0300	<	Compartments, Zolatone Finish (1) per compt	6
		Machine stamped louvers located above the floor line for venting.	

PART NO	S	DESCRIPTION	QTY
37-00-0500	< >	Compartments, Std, Floor 3" Drop Down from Door Opening compts B1,B2,D,& E are STD drop down floor	4
37-00-0600	< >	Compartments, Sweepout compt "A" & "F" are std sweep out	2
37-00-0710	<	Duraseam Doors, with Hidden Jambs Magnetic door switches, STD	1
37-A0-0281	>	A, Compt, Split, Pureair,153" Module,72" H.R, T3 Chev	1
37-B1-0153	>	B1, Compt, Std, 153" Module , T3, 72"HR,#3153C/F only	1
37-B2-0174	>	B2, Compt, Std, 153" Module, T3, 72"H.R.	1
37-D0-0353	< >	D, Compt, 3/4, 153" Module, T3, 72" H.R, #3153C only With single door	1
37-E0-0103	< >	E, Compt, Std, 153" Module, T3, #3153C only With single door	1
37-F0-0275	>	F, Compt, Full Height, 153" Module, T3, 72" HR,#3153C/F only FUEL FILL HOUSING:	1
3A-10-4000		Housing, Fuel Fill, Cast, F3/C3/C4500/CM+(7) EXTERIOR DIVIDERS:	1
3F-10-1101	<	Divider, Vertical, B2, .090" Thick, Std Model only compt "B2", centered.	1
		SHELF- COMPARTMENT "A"/RF CABINET:	1
3F-20-1000	< >	Shelf, Adjustable,(1), RF Cabt Custom (1) RF Compt "A"/cabt "E1" area, centered. (change to cabt "E2" for Pureair 1 cabt)	1
		SHELF- COMPARTMENT "D":	1
3F-40-3001	< >	Shelf, Custom, Adj, Cmpt "D", (1), Std Model only at bottom of cabt "H" inside/outside access opening.	1
		SHELF- COMPARTMENT "E":	1
3F-50-0200		Shelf, Fixed, Cmpt E, for Electrical storage, No Divider WINDOWS:	1
3P-10-5201	>	Window,Upper,CS/Slider,Rr/Fixed,Priv Tint,PAN,Std Model only MODULE ENTRY DOOR HANDLES:	1
3U-30-8000		Handles, Patient Entry, Trimark Black/Chrome "SafePass" STD EXTERIOR COMPT DOOR HANDLES:	1
3U-40-0510	>	Handle, Module Compt, Trimark, Black/Chrome, STD DOOR HOLD OPENS:	7
40-10-1602	< >	Hold Opens,Rr Doors,Cast,Grabber (2),4.5", Std Model only ***Install so that doors will open as wide as possible.*** Mount at top of doors.	1
40-10-7200		Hold Open, Gas Strut, Ext Compt, 30lb, Std	5
40-10-7205		Hold Open, Gas Strut, RF Compt, 30lb, Std DOOR PANELS:	1
45-10-4505	< >	Panels, Entry, Durasafe, Stainless Steel, w/ Chevrons, STD Durasafe Design Aluminum Center Panels covered in white/red reflective tape.	1
		FENDER FLARES:	1
4A-10-3001		Flare, Fender, Bright Finish, Std Model only BUMPERS:	1
4F-10-9502	<	Bumper,Rear,w/ Skids & Flip Up,C3,w/LED DOT lights,Std Model w/ Gator Grip on flip up step, STD	1

PART NO	S	DESCRIPTION	QTY
		RUNNING BOARDS:	1
4K-10-5611		Running Boards, Chev Type 3,w/Gator Grip,#3153C/65C/70C only	1
		SKIRTRAILS	1
4U-10-9200		Skirtrails,Extruded Rubber w/Refl Tape,146-153" Module	1
4U-10-9500		Tape, Reflective, White, For Extruded Rubber Skirtrails	1
		STONE GUARDS (FRONT):	1
4U-11-2040		Stone Guard, Front, Dia Plate, Chev Type 3	1
		KICKPLATES (w/STD. REAR STONEGUARDS):	1
50-10-2105		Kickplate, W/Recess, No Light Holes,Duraseam	1
55-10-3000	<	Holder, License Plate, Cast, C30002, STD in rear kickplate, centered.	1
		SILL PROTECTORS	1
55-30-4001		Sill Protectors, Stainless, All Compts, Std Model only	1
		MUD FLAPS:	1
5A-10-1001		Mud Flaps, Rear, W/Logo, Std Model only	1
		PAINT/BELTS:	1
5F-10-0800	< >	Paint, OEM White Sikkens Crossover Codes Ford white: FA91:YZ Dodge/Chevy white: FLNA4738 International white: NAV9219(Y) Freightliner white: CHA88:GW6	1
5F-10-4801	<	Paint, Belt, None, Std Model only Cab & Module, all white, std.	1
		DECAL PACKAGES INSTALLED:	1
5P-10-5001		Roof Star, White Border, Installed, Std Model Only	1
		ELECTRICAL SYSTEM:	1
		BATTERY SWITCHES:	1
60-20-356E	<	Battery Config, C3, Fig 5B, Electric Sw, (1) OEM In RF Comp	1
		(1) oem battery under hood. (1) oem battery RF compt.	
		ONLY Module power is turned on/off. Chassis power is NOT turned off.	
		Activated thru OEM ignition switch.	
		Inpower module.(timer not connected) No fail-safe switch, std.	
		COAX CABLES/ANTENNAS:	1
65-10-3001	< >	Coax Cable, RG58/U, (1), Additional, Std Model only From module roof port number #1 to behind the passenger seat STD.	1
		With 6' pigtails	
65-30-1000	< >	Coax Cable, RG58/U, (1) Each, Standard, Terminate: From module roof port number #3 to behind the passenger seat STD.	1
		With 6' pigtails	
		12VDC POWER SOURCES & OUTLETS:	1
6A-22-200E	< >	Outlet, Cigar Lighter, STD, (2), A/A on std 20amp ignition hot circuit.("elect batt sw")	1
		POWER SOURCE, 12 VDC	1
6A-23-1201	< >	Power Source,12 VDC,15 Amp (+-), Std Model only Ignition hot, terminating in cab console w/6 foot tails (hot and ground).	1
6A-23-3001	< >	Power Source,12 VDC,30 Amp (+-), Std Model only	1

PART NO	S	DESCRIPTION	QTY
		Constant Hot, to terminate behind the passenger seat, w/6 foot tails (hot and ground).	
		SHORELINE INLETS:	1
6F-90-4101	< >	Super Auto Eject, 20 amp, ILOS, White, Std Model Only with white cover.	1
		mounted above compartment "E"	
		110 VAC OUTLETS:	1
6K-40-1000	<	Outlet, 110 VAC, Duplex, (2), STD	1
		(1) outlet in action area	
		(1) outlet in the RF cabt "E1", wall #2, upper right. (change to cabt "E2" for Pureair 1 cabt)	
		PREWIRES:	1
7P-10-1005	<	Prewire, Stock, Wires Only, for "Std Model" Units to include:	1
		fog lights, wigwag, & block heater	
7P-50-4500	>	Prewire, Inverter Vanner 1000 TUL/CUL, Plug In	1
		CONSOLES:	1
7U-10-7000		Console, A/A, Wood, Angled	1
7U-11-0050	< >	Console, ECC, Chevy Cutaway, STD, W/Map Storage, 2007+ Painted black.	1
		GAUGES/METERS:	1
D0-10-7000		Voltmeter, OEM, In Dash	1
		SIREN SPEAKERS:	1
DF-20-5560		Speakers, Siren, Cast, In Bumper, Chevy T3 & T7, STD	1
		SIRENS:	1
DK-10-1400	>	Siren, Whelen, WS-295-SLSA1, Standard	1
		SWITCHING OPTIONS FOR AIR HORNS & SIRENS:	1
DP-11-1000		Switch, Siren/Horn Thru Horn Ring	1
		AUDIBLE ALARMS:	1
F0-11-3501		Alarm, Back-Up, Auto Reset, Std Model only	1
		VEHICLE EXTERIOR LIGHTING	1
		WHELEN LED 45KKK ADVANTAGE PLUS LIGHT BAR, 700 SERIES	1
FK-24-1050	< >	Lightbar, Whelen 45KKKFL, 86", LLLLLL, RCRRCR, ILOS	1
		700 Series Super LED's. Lenses: Clear	
		*Center white light to be primary only thru Whelen AFM560 Flasher.	
		*Outboard red lights to be pri/sec thru Whelen AFM560 Flasher, sim flash, alt w/center white.	
		Lights 2,3,5,& 6 to flash using internal 45LFLASH flasher, 2&6 to alt with 3&5, on lightbar switch.	
		w/ICC lights on top of LB	
	>	WHELEN SUPER LED 9L STEADY BURN LIGHTS T1,3,9:	1
FU-40-0500	< >	Light, 9L, Super LED, Whelen, Red, Red Lens, ILOS, 90RR5SRR (2) each side standard location (2) on rear in upper outer corners	6
FU-40-0501	< >	Light, 9L, Super LED, Whelen, Red, Red Lens, IATS, 90RR5SRR (2) to show through the upper rear windows.	2
		*Switch Pri/Sec	
		*Flash simultaneously with the center amber.	

PART NO	S	DESCRIPTION	QTY
FU-40-0512	< >	Light, 9L, Super LED, Whelen, Amber, Amber Lens, ILOS, 90AA5SAR on center rear	1
		7 SERIES SUPER LED STEADY BURN LIGHTS:	1
H5-58-0510	<	Light, 7L, Super LED, Red, Red Lens, ILOS, 70R02SRR (2) as intersection lights. (2) as grille lights.	4
		WHELEN FLANGES 7 SERIES LIGHTS	1
H5-59-1010	<	Housings, Whelen, 7E Grille Lights, Pair, Chev T3/CM #7GCV6LRC	1
H5-59-1012	<	Housings, Whelen, 7E Intersection Lights, Pair, Chev T3/CM #71CV6LRC	1
		CORNER CAP LIGHTS	1
HF-11-6049	<	Corner Cap Lts, Multi-LED, (2) Amber (2) Red w/Flashers, Std Model  High intensity flashers. thru separate switch.	1
		CLEARANCE LIGHTS:	1
HF-12-9601	<	Light, Clearance, Red LED, Std Model only On rear as clearance lights.	3
		SCENE AND LOAD LIGHTS	1
HK-20-110E	<	Light, Halogen, Whelen, 9H, Clear, 8-32 Deg, STD, (1)  (2) each side as scene lights	4
HK-20-130E	<	Light, Halogen, Whelen, 9H, Clear, 8-32 Deg, STD, (1)  (2) on rear as load lights	2
		WARNING LIGHT FLASHERS	1
HU-24-7500	< >	Flasher, Whelen AFM-560, ILOS Set flash pattern to Comet Flash  for all 7L's, all 9L's, and (3) ILOS lts in LB.	1
		HARNES LAYOUT:	1
J5-12-2000		Halogen, " E " Spec, Vanner, (1) Lightbar	1
		STOP/TURN/TAIL LIGHTS:	1
JA-10-1200		Light, License Tag, (2), Trucklite #15205 LED, ILOS	1
JA-13-8010		Tailights, Whelen, LED Stop/Tail, Halogen/Backup, w/ WC logo	1
		MODULE OVERHEAD HEADLINER:	1
JK-10-5500	>	Headliner, Flat, Expanded PVC, Std 12VDC INT LIGHTING-HALOGEN & INCANDESCENT:	1
JP-10-0505		Lights, Weldon, 8046-0320-80, (4) S/S, (3) C/S	1
JP-10-7005		Light, Stepwell, Trucklite, 2in, Std	1
JP-10-8000		Light, Xantech, 105-500, 5 Inch, In A/A	1
		12VDC INTERIOR LIGHTING - FLUORESCENT:	1
JP-16-1106	< >	Lights, Fluor, Liteco #17918265, 18IN, (3), W/Sw, Std Model Only Recessed, 18"  Mount in liner positions F, G, and H  With switch in A/A.	1
		LIGHTS & MISCELLANEOUS:	1
JR-50-1401		Spotlight, Blue Eye, 400,000 CP, Std Model only	1
JR-60-2001	< >	Timer/Circuit, 15 Minute, Intermatic, Const Hot, Std Model only	1
		LOCATION: on C/S wall at the head of the squad bench in the standard location. WIRED TO: Fluorescent lights in liner.	

PART NO	S	DESCRIPTION	QTY
JR-70-0005	<	Light, in Circuit Board Area, for Electrical Troubleshooting with integral switch. wired constant hot.	1
		SUCTION PUMPS:	1
LP-10-0500		Suction Pump, Thomas, Standard	1
		INSULATION:	1
LU-10-1000		Insulation, Fiberglass, Unfaced	1
		GRABRAIL(S)/GRABHANDLES:	1
N0-10-9101	<	Grabrail,Overhead,117",Handicap Style,Yellow,Std Model Only Yellow Powder Coat Finish	1
N0-10-9703	<	Handrails,(3),Custom "L" Shape,1",Yellow,Entry Drs,Std Model For units with Trimark handles. Yellow Powder Coat Finish Stainless Steel Grab Handles	1
		ILOS	
		O2 CYLINDER RACKS:	1
NA-10-2500	>	Rack, Cylinder, Ziamatic, "M", QRM-2	1
		O2 SYSTEMS COMPLETE:	1
NF-50-1001	< >	O2 Sys,LF,(2)O2/(1)Vac Port A/A,(1)O2 C/S, Std Model only ohio style (2) oxygen outlets in action area (1) vacuum port in action area (1) oxygen outlet cs wall at head of squad bench	1
		SUCTION CONTAINERS:	1
PA-10-7001	>	Regulator/Holder, SSCOR 22000, Std Model only	1
	<	COT MOUNTS: No cot mount until unit is sold.	1
		IV HOOKS:	1
PP-20-1000	< >	IV Hook, Perko, (1), W/Straps, STD curbside and streetside standard locations	2
		MODULE INTERIOR	1
RU-05-0000		Interior Cabinets - Duralite Construction, Wood	1
		MICA COLOR:	1
RU-10-3001		Mica, Light Gray Gloss, Std Model only	1
		SUB FLOORING:	1
RZ-99-0025		Flooring, Wood, Type 3/7/9, Std	1
		FLOORING:	1
T0-11-8201		Flooring, Lonplate II,Gunpowder Grey #424TX, Std Model only	1
		SEAMLESS ATTENDANT SEATS:	1
T5-10-5111	<	Seat, Attendant, EVS, Child,Gunmetal #1880CB, Std Model only Vacuum formed EVS1880CB w/ 3 point seatbelt. Integrated child safety seat. Mounted metal box base.	1
		SEAMLESS UPHOLSTERY:	1
T5-25-0500		Uph, Smless, Gunmetal,No Bio,No Post & Wheel	1
		BULKHEAD CABINET:	1
TF-51-9110		Cabinet, Bulkhead, C3, 2" Ext, 153", 72 Hr	1
		O2 DOOR:	1
TK-10-5010		Lexan Flaps, Hinged Left Side, Fixed Right Side, Std	1
		GLOVE HOLDERS:	1
TN-20-1001	<	Cabinet, Glove Box Holder,(3),Above C/S door, Std Model only (narrows cabt "E1" on 2001 Pureair w/low headroom)	1

PART NO	S	DESCRIPTION	QTY
TP-10-6000	<	Door, Sliding, Bulkhead, STD w/ sliding Lexan window	1
TU-17-1560	<	RIGHT FRONT CABINET: Cabinet, Right Front, 2001 Pureair, Modified VA Style, 72" H E1 and E2 with inside/outside access.	1
TU-21-7350	<	RF CABINET DOORS W/2001 PUREAIR A/C Doors, Modified VA Style, E1 & E2, 2001 E-1 double doors. E-2 single door hinged on left.	1
V0-10-0500	< >	HARDWARE, LATCHES AND LOCKS: Handle, C, Pull, Installed, (1) Ea, STD RF cabt(s)	3
V0-10-2000	< >	Latch, Plunger Roller, Installed RF cabt(s)	5
V0-13-9001	< >	Latch, Lever, No Key, Installed, STD, 2001 Style RF Cabt One (1) RF Cabinet Door E-1 Leading Door One (1) RF Cabinet Door E-2 Door	2
V0-14-1001	>	Latch, Lever, W/Key, Installed, "L" Cabt Wood Door	1
V5-20-1801		SQUAD BENCH: Squad Bench, Bio-Waste @ Head, 153", Std Model only	1
V5-60-1901		LID 149/153 INCH BOX: Lid, Squad Bench, Single W/Bio-Waste, 153", Std Model only	1
V5-80-1000		HARDWARE: Handle, Paddle, Squad Bench, STD	1
V5-82-2500		Strut, Gas, 60 LB, Installed, ILOS, Mods	1
VA-40-0550		CURBSIDE SPLINT CABINET 149/153 INCH BOX: Curbside Splint Cabt, None	1
VF-20-3110		CURBSIDE REAR CABINET: Cabinet, Curbside Rear, Standard, 153 In, 72" HR	1
VH-H0-0300		CABINET H, BASEWALL 149/153", T1 & T3 H, Cabinet, Inside/ Outside Access	1
VH-I0-0400		CABINET I, BASEWALL 149/153", T1 & T3 I, Cabinet, Deleted	1
VH-M0-0300		CABINET M, BASEWALL 149/153", T1 & T3 M, Cabinet, deleted	1
VH-O0-0100		CABINET O, BASEWALL 149/153", T1 & T3 O, Cabinet, full height, std	1
VH-Q0-0101		CABINET CPR, BASEWALL, 149"-170", T1 & T3 CPR, side seat, Std Model only	1
VH-Q0-0301		CABINET J, STREETSIDE UPPER 149/153", T1 & T3 CPR, side seat, flip up lid, Std Model only	1
VI-J0-0300		CABINET K, STREETSIDE UPPER 149/153", T1 & T3 J, Cabinet, 72" H.R.	1
VI-K0-0205		CABINET L, STREETSIDE UPPER 149/153", T1 & T3 K, Cabinet, 2/3 depth, 72" H.R.	1
VI-L0-0356		BASEWALL DOORS: L, Cabts, L1 in Angled Area, L2 std, Full F, 72" HR, Std Model only	1
VK-15-4000		Cab H, Gray Lexan Slider	1
VK-16-5000		Cab O, Gray Lexan Slider	1
VP-10-1000		ACTION AREA 149/153 INCH BOX: Cab, A/A, W/O Biowaste, Rounded Corner, Type 3	1
VP-10-5462	<	TELEMETRY AREA WORK SURFACE Telemetry Tray, Poured, Gray, Narrow, 50" Aisle, Type 3 **only for 50" aisle space units**	1
VP-10-5916	<	ACTION AREA WORK SURFACE A/A Tray, No Bio, Poured, Gray, Narrow, 50" Aisle, Type 3	1

PART NO	S	DESCRIPTION	QTY
**only for 50" aisle space units**			
VU-14-4000	>	Shelf, Interior, Adj, in Cabinet:	1
VU-14-4000	>	Shelf, Interior, Adj, in Cabinet:	1
VU-14-4000	>	Shelf, Interior, Adj, in Cabinet:	1
VU-14-4000	>	Shelf, Interior, Adj, in Cabinet:	1
VU-14-4001	< >	Shelf Track, Cabt, #HA24663, Upgrade, Std Model only ("C" channel/exterior shelf style track)	4
VU-15-2000		Cab "J" Gray Lexan Slider	1
VU-15-4000		Cab "K" Gray Lexan Slider	1
VU-15-9000	<	Cab "L1" Wood Door	1
		hinged on right.	
VU-16-3000		Cab "L2" Gray Lexan Slider	1
SHIP LOOSE ITEMS:			1
YY-00-0001	>	Bracket, Spare Tire Mounting, Ship Loose	1
YY-10-6400		Ship Loose, W.C. Standard Items	1
WARRANTIES			1
ZZ-10-0100		Warranty, Conversion, 12 Month/12K Miles, Std.	1
ZZ-10-0200		Warranty, Paint, 12 Month/12K Miles, Std.	1
ZZ-10-0300		Warranty, Structural, 15 Years, Std., Mods	1
ZZ-10-1800		Warranty, Lifetime, Mod Electrical	1
ZZ-ZZ-0200	>	End Of Order	1